

Merriwood Dr and Silverado Dr
Signs and Striping Plan



200 ft

CityGIS

DRAFT

Copyright © 2006 All Rights Reserved. The information contained herein is the proprietary property of the contributor supplied under license and may not be approved except as licensed by Digital Map Products.

ITEM 6A.1



A Silverado/Merriwood

- ① Extend white edge line.
- ② Extend white edge line with reflective pavement markers. Add diagonal bars (white) in shoulder area.

* Crosswalk stripes will be refreshed.

DRAFT



DRAFT

B Merrinwood - Sandalwood


- ① Extend edge Lines around Corners.
- ② Add limit line.



C Merrimwood - BVS Driveway

- ① Extend edge lines around corners. Add limit line.
 - ② Install double-sided Ped-Xing paddle.
Install 25'± double yellow stripes with reflective markers leading to paddle.
 - ③ School Xing signs okay to remain.
- * Crosswalk stripes will be refreshed.

DRAFT



Indian Way
Merrimwood to Silverado

D E

- ① Extend edge line at corners.
 - ② Remove non-standard "Burton Valley" speed limit sign. Existing School xing sign facing Indian Way okay to remain.
 - ③ Install double-sided ped xing paddle. Install 25'± double-yellow stripes with reflective markers leading to paddle.
- * Crosswalk stripes will be refreshed.



F G Rohrer Drive - Silverado to Merriwood

DRAFT

- ① Extend edge line at corner.
- ② Restripe X-walk using ladder style.